

Архангельск (8182)63-90-72  
Астана (7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06

Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93

[www.confessa.nt-rt.ru](http://www.confessa.nt-rt.ru) | | [csf@nt-rt.ru](mailto:csf@nt-rt.ru)

# Технические характеристики на стальные кольца для планок Picatinny, Weaver компании Contessa



## **SPP01/A – Steel Picatinny Rings ø1” low**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 1” H 8 mm

For picatinny rails:

- Cod. SPP01/A – fixed
- Cod. SPP01/A/SR – QR

For weaver rails:

- Cod. SPP01W/A– fixed
- Cod. SPP01W/A/SR – QR



## **SPP01/B – Steel Picatinny Rings ø1” medium**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 1” H 12 mm

For picatinny rails:

- Cod. SPP01/B – fixed
- Cod. SPP01/B/SR – QR

For weaver rails:

- Cod. SPP01W/B– fixed
- Cod. SPP01W/B/SR – QR



## **SPP01/C – Steel Picatinny Rings ø1” high**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 1” H 19 mm

For picatinny rails:

- Cod. SPP01/C – fixed
- Cod. SPP01/C/SR – QR

For weaver rails:

- Cod. SPP01W/C – fixed
- Cod. SPP01W/C/SR – QR



## **SPP02/A – Steel Picatinny Rings ø 30mm low**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 30 mm H 8 mm

For picatinny rails:

- Cod. SPP02/A – fixed
- Cod. SPP02/A/SR – QR

For weaver rails:

- Cod. SPP02W/A – fixed
- Cod. SPP02W/A/SR – QR



## **SPP02/B – Steel**

### **Picatinny Rings ø 30mm medium**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 30 mm H 12 mm

For picatinny rails:

- Cod. SPP02/B – fixed
- Cod. SPP02/B/SR – QR

For weaver rails:

- Cod. SPP02W/B – fixed
- Cod. SPP02W/B/SR – QR



## **SPP02/C – Steel**

### **Picatinny Rings ø 30mm high**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 30 mm H 19 mm

For picatinny rails:

- Cod. SPP02/C – fixed
- Cod. SPP02/C/SR – QR

For weaver rails:

- Cod. SPP02W/C – fixed
- Cod. SPP02W/C/SR – QR



## **SPP02/D – Steel**

### **Picatinny Rings ø 30mm**

### **super high**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 30 mm H 26 mm

For picatinny rails:

- Cod. SPP02/D – fixed
- Cod. SPP02/D/SR – QR

For weaver rails:

- Cod. SPP02W/D – fixed
- Cod. SPP02W/D/SR – QR



## **SPP03/A – Steel**

### **Picatinny Rings ø34mm**

### **low**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 34 mm H 8 mm

For picatinny rails:

- Cod. SPP03/A – fixed
- Cod. SPP03/A/SR – QR

For weaver rails:

- Cod. SPP03W/A – fixed
- Cod. SPP03W/A/SR – QR



## **SPP03/B – Steel**

### **Picatinny rings ø34mm medium**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 34 mm H 12 mm

For picatinny rails:

- Cod. SPP03/B – fixed
- Cod. SPP03/B/SR – QR

For weaver rails:

- Cod. SPP03W/B – fixed
- Cod. SPP03W/B/SR – QR



## **SPP03/C – Steel**

### **Picatinny Rings ø34mm high**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 34 mm H 19 mm

For picatinny rails:

- Cod. SPP03/C – fixed
- Cod. SPP03/C/SR – QR

For weaver rails:

- Cod. SPP03W/C – fixed
- Cod. SPP03W/C/SR – QR



## **SPP04/A – Steel**

### **Picatinny Rings ø35mm**

### **low**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 35 mm H 8 mm

For picatinny rails:

- Cod. SPP04/A – fixed
- Cod. SPP04/A/SR – QR

For weaver rails:

- Cod. SPP04W/A– fixed
- Cod. SPP04W/A/SR – QR



## **SPP04/B – Steel**

### **Picatinny Rings ø35mm**

### **medium**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 35 mm H 8 mm

For picatinny rails:

- Cod. SPP04/B – fixed
- Cod. SPP04/A/SR – QR

For weaver rails:

- Cod. SPP04W/A– fixed
- Cod. SPP04W/A/SR – QR



## **SPP05/A – Steel**

### **Picatinny Rings ø40mm**

### **low**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 40 mm H 8 mm

For picatinny rails:

- Cod. SPP05/A – fixed
- Cod. SPP05/A/SR – QR

For weaver rails:

- Cod. SPP05W/A – fixed
- Cod. SPP05W/A/SR – QR



## **SPP05/B – Steel**

### **Picatinny Rings ø40mm**

### **Medium**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 40 mm H 14,5 mm

For picatinny rails:

- Cod. SPP05/B – fixed
- Cod. SPP05/B/SR – QR

For weaver rails:

- Cod. SPP05W/B – fixed
- Cod. SPP05W/B/SR – QR





## **SPP06/A – Steel**

### **Picatinny Rings ø36mm**

### **low**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 36 mm H 8 mm

For picatinny rails:

- Cod. SPP06/A – fixed
- Cod. SPP06/A/SR – QR

For weaver rails:

- Cod. SPP06W/A – fixed
- Cod. SPP06W/A/SR – QR



## **SPP06/B – Steel**

### **Picatinny Rings ø36mm**

### **medium**

- Pair of hardened steel rings for picatinny or weaver rails. Designed to ensure durability, stability and to guarantee the return to zero. Rings can be fitted with 5mm stop recoil for Picatinny rails or 4mm stop recoil for Weaver rails.
- Available in the fixed version or with quick detach SR clamping system.
- ø 36 mm H 12 mm

For picatinny rails:

- Cod. SPP06/B – fixed
- Cod. SPP06/B/SR – QR

For weaver rails:

- Cod. SPP06W/B – fixed
- Cod. SPP06W/B/SR – QR



## STR02/A – TACTICAL RINGS HP ø30mm

- High performance rings for picatinny rails designed and engineered for competition and TACTICAL SHOOTING.
- With level for perfect alignment with the gun.
- ø 30 mm



## STR03/A – TACTICAL RINGS HP ø34mm

- High performance rings for picatinny rails designed and engineered for competition and TACTICAL SHOOTING.
- With level for perfect alignment with the gun.
- ø 34 mm

Архангельск (8182)63-90-72  
Астана (7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06

Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93